

**Supplementary material 8.** Synoptic table of the four communities showing percentage constancy values of species. Diagnostic species are highlighted in light grey and highly diagnostic species in dark grey.

Percentage synoptic table				
Cluster number	1	2	3	4
Number of relevés (n)	28	16	16	34
Total number of species (n)	123	104	79	118
Number of diagnostic species (n)	21	45	30	21
Lactuca serriola L.	57	6	.	.
Carduus pycnocephalus L.	57	19	.	3
Senecio vulgaris L.	50	.	.	.
Fedia cornucopiae (L.) Gaertner	C	36	.	6
Ochlopoa annua (L.) H. Scholz		36	.	19
Mauranthemum decipiens (Pomel) Vogt & Oberpr.		32	19	.
Stellaria media (L.) Cirillo		32	.	6
Cichorium intybus L.		32	.	13
Fumaria parviflora Lam.	P	32	6	.
Polygonum aviculare L.		32	.	19
Anacyclus radiatus Loisel.	C	7	100	.
Plantago afra L.		11	56	13
Pallenis spinosa (L.) Cass.		4	50	.
Lamarckia aurea (L.) Moench		11	44	.
Ammi majus L.		.	44	.
Polycarpon tetraphyllum (L.) L.		21	44	.
Launaea nudicaulis (L.) Hook. f.	C	14	38	.
Erodium moschatum (L.) L'Hér.	C	14	38	13
Scandix pecten-veneris L.	P	14	38	.
Malva parviflora L.	C	.	38	.
Alyssum simplex Rudolph		.	38	6
Lobularia maritima (L.) Desv.		21	38	.
Euphorbia exigua L.	P	21	31	.
Fumaria agraria Lag.	P	4	31	.
Misopates orontium (L.) Rafin.	P	4	31	.
Sisymbrium officinale (L.) Scop.		7	31	.
Filago pyramidata L.		.	31	.
Chenopodium murale L.	C	25	31	.
Dysphania ambrosioides (L.) Mosyakin & Clements		21	31	.
Rumex thyrsoides Desf.		.	.	50
Andryala integrifolia L.		.	19	44
				26

<i>Filago ramosissima</i> Lange	.	.	44	6
<i>Scorzoneroides muelleri</i> (Sch. Bip.) Greuter & Talavera	.	.	44	3
<i>Vicia benghalensis</i> L.	P <sub>a</sub>	.	31	.
<i>Chamaemelum fuscatum</i> (Brot.) Vasc.	P <sub>a</sub>	.	31	.
<i>Lolium multiflorum</i> Lam.	P <sub>a</sub>	.	31	3
<i>Centaurea calcitrapa</i> L.	.	6	31	18
<i>Silybum marianum</i> (L.) Gaertn.	.	.	31	18
<i>Lolium temulentum</i> L.	P	.	.	47
<i>Scorpiurus muricatus</i> L.	.	13	6	38
<i>Capsella bursa-pastoris</i> (L.) Medik.	11	19	.	38
<i>Cynodon dactylon</i> (L.) Pers.	11	25	6	35
<i>Echium horridum</i> Batt.	50	75	.	.
<i>Sherardia arvensis</i> L.	P	46	44	6
<i>Lolium rigidum</i> Gaudin	C	39	75	6
<i>Hordeum murinum</i> L.	C	32	81	6
<i>Phalaris minor</i> Retz	32	31	13	3
<i>Glebionis segetum</i> (L.) Fourr.	P <sub>a</sub>	14	88	56
<i>Vicia sativa</i> subsp. <i>nigra</i> Ehrh.	.	81	.	32
<i>Sonchus oleraceus</i> L.	C	11	63	.
<i>Rumex bucephalophorus</i> L.	P <sub>a</sub>	18	63	44
<i>Phalaris brachystachys</i> Link	C	14	50	13
<i>Anchusa azurea</i> Mill.	P	18	44	6
<i>Galium verrucosum</i> Hudson	P	4	44	50
<i>Papaver rhoeas</i> L.	P	29	44	56
<i>Raphanus raphanistrum</i> L.	P <sub>a</sub>	14	38	56
<i>Muscari comosum</i> (L.) Mill.	.	38	25	35
<i>Biscutella auriculata</i> L.	P	.	38	44
<i>Medicago polymorpha</i> L.	4	31	6	62
<i>Emex spinosa</i> (L.) Campd.	C	7	25	75
<i>Glebionis coronaria</i> (L.) Spach	C	18	19	63
<i>Sinapis arvensis</i> L.	P	.	13	56
<i>Convolvulus arvensis</i> L.	25	6	50	47
<i>Allium nigrum</i> L.	21	19	31	35
<i>Galactites tomentosus</i> Moench	C	18	25	31
<i>Dittrichia viscosa</i> (L.) Greuter	50	75	31	15
<i>Senecio leucanthemifolius</i> Poiret	43	44	94	.
<i>Silene vulgaris</i> (Moench) Garcke	32	69	38	18
<i>Silene gallica</i> L.	P <sub>a</sub>	32	100	75
<i>Convolvulus althaeoides</i> L.	C	7	69	75
<i>Avena sterilis</i> L.	C	11	63	56
<i>Hirschfeldia incana</i> (L.) Lagrèze -Fossat	C	29	38	31
<i>Anisantha madritensis</i> (L.) Nevski	C	61	81	38
<i>Anagallis arvensis</i> L.	54	88	81	62
<i>Melilotus sulcatus</i> Desf.	.	.	19	29
<i>Echium plantagineum</i> L.	7	.	25	29
<i>Gladiolus italicus</i> Mill.	.	.	6	26

<i>Aristolochia paucinervis</i> Pomel	4	.	.	24
<i>Arenaria leptoclados</i> (Reichenb.) Guss.	.	.	.	24
<i>Brassica barrelieri</i> (L.) Janka	.	.	.	24
<i>Tolpis barbata</i> (L.) Gaertn.	.	.	.	21
<i>Stachys arvensis</i> (L.) L.	7	.	6	21
<i>Adonis aestivalis</i> L.	.	25	25	18
<i>Leontodon tuberosus</i> L.	4	.	.	18
<i>Scrophularia canina</i> L.	.	.	.	18
<i>Euphorbia medicaginea</i> Boiss.	.	6	.	18
<i>Fallopia convolvulus</i> (L.) A. Löve	.	.	.	15
<i>Misopates calycinum</i> (Vent.) Rothm.	.	.	.	15
<i>Chenopodium album</i> L.	14	.	13	15
<i>Galium aparine</i> L.	4	6	.	15
<i>Calendula arvensis</i> (Vaill.) L.	29	6	.	15
<i>Lathyrus clymenum</i> L.	4	.	.	15
<i>Amaranthus blitoides</i> S. Watson	.	13	6	12
<i>Ranunculus muricatus</i> L.	.	.	.	12
<i>Erodium cicutarium</i> (L.) L'Hér.	4	19	6	12
<i>Helminthotheca echooides</i> (L.) Holub	.	.	13	12
<i>Arisarum vulgare</i> subsp. <i>simorrhinum</i> (Durieu) Maire & Weiller	4	.	13	12
<i>Malva trimestris</i> (L.) Salisb.	.	.	.	12
<i>Amaranthus retroflexus</i> L.	7	.	.	12
<i>Visnaga daucoides</i> Gaertn.	21	.	.	12
<i>Heteranthemis viscidehirta</i> Schott	.	.	.	9
<i>Lathyrus cicerea</i> L.	.	.	.	9
<i>Blackstonia perfoliata</i> (L.) Hudson	.	.	.	9
<i>Anthyllis cornicina</i> L.	.	.	.	9
<i>Eryngium campestre</i> L.	.	.	.	9
<i>Ridolfia segetum</i> (Guss.) Moris	.	.	6	9
<i>Hypochaeris radicata</i> L.	18	.	.	9
<i>Mercurialis annua</i> L.	4	6	.	9
<i>Trifolium stellatum</i> L.	.	.	13	6
<i>Asperula hirsuta</i> Desf.	.	.	.	6
<i>Euphorbia helioscopia</i> L.	.	.	6	6
<i>Rumex pulcher</i> L.	.	.	.	6
<i>Centaurea pullata</i> L.	.	.	19	6
<i>Fumaria officinalis</i> L.	14	.	25	6
<i>Linaria latifolia</i> Desf.	.	13	.	6
<i>Beta vulgaris</i> subsp. <i>maritima</i> (L.) Arcang.	29	19	.	6
<i>Geranium molle</i> L.	11	.	19	6
<i>Anacyclus clavatus</i> (Desf.) Pers.	.	13	.	6
<i>Smilax aspera</i> L.	4	.	.	6
<i>Bifora testiculata</i> (L.) Spreng.	.	.	.	6
<i>Reichardia tingitana</i> (L.) Roth	.	.	.	6
<i>Convolvulus tricolor</i> L.	.	.	25	3

Scolymus maculatus L.	4	.	.	3
Urtica urens L.	14	13	.	3
Beta macrocarpa Guss.	11	.	6	3
Phalaris paradoxa L.	.	.	6	3
Torilis nodosa (L.) Gaertner	.	19	.	3
Coronilla scorpioides (L.) Koch	.	.	6	3
Echinops spinosissimus Turra	.	.	19	3
Plantago serraria L.	.	.	.	3
Vaccaria hispanica (Miller) Rauschert	.	.	.	3
Hypochaeris glabra L.	18	19	.	3
Bromus lanceolatus Roth	.	.	.	3
Lythrum hyssopifolia L.	.	.	.	3
Anisantha rigida (Roth) Hylander	.	.	.	3
Tripodion tetraphyllum (L.) Fourr.	.	.	.	3
Briza maxima L.	.	.	.	3
Geranium retundifolium L.	.	.	.	3
Rhagadiolus stellatus (L.) Gaertn.	.	.	.	3
Medicago murex Willd.	18	19	.	.
Diplotaxis catholica (L.) DC.	.	25	.	.
Onopordum macracanthum Schousb.	.	25	.	.
Setaria verticillata (L.) P. Beauv.	.	25	.	.
Anisantha rubens (L.) Nevski	21	25	.	.
Biserrula pelecinus L.	.	19	.	.
Cladanthus arabicus (L.) Cass.	7	25	.	.
Paronychia argentea Lam.	7	19	.	.
Dactylis glomerata L.	4	25	.	.
Rumex acetosella L.	18	.	.	.
Medicago orbicularis (L.) Bart.	.	6	.	.
Umbilicus horizontalis (Guss.) DC.	18	.	.	.
Avena sativa L.	.	6	.	.
Galium tricornutum Dandy	18	6	.	.
Sonchus asper (L.) Hill	.	6	.	.
Filago gallica L.	.	6	.	.
Vulpia bromoides (L.) Gray	.	19	.	.
Lotus pedunculatus Cav.	7	19	.	.
Glaucium flavum Crantz	18	.	.	.
Rumex crispus L.	18	.	.	.
Bellis sylvestris Cirillo	25	.	.	.
Solanum nigrum L.	.	6	.	.
Lamium amplexicaule L.	25	19	.	.
Rostraria cristata (L.) Tzvelev	7	.	.	.
Calendula stellata Cav.	4	.	.	.
Bromus hordeaceus L.	4	.	.	.
Bupleurum lancifolium Hornem.	4	.	.	.
Chamaerops humilis L.	7	.	.	.
Spergularia diandra (Guss.) Boiss.	7	.	.	.

<i>Teucrium fruticans</i> L.	11	.	.	.
<i>Trifolium angustifolium</i> L.	11	.	.	.
<i>Crataegus monogyna</i> Jacquin	7	.	.	.
<i>Centaurea melitensis</i> L.	14	.	.	.
<i>Carex pendula</i> Hudson	4	.	.	.
<i>Silene nocturna</i> L.	4	.	.	.
<i>Borago officinalis</i> L.	18	13	13	.
<i>Vicia lutea</i> L.	.	.	13	.
<i>Fumaria melillaica</i> Pugsley	4	.	13	.
<i>Verbesina encelioides</i> (Cav.) A. Gray*	.	.	25	.
<i>Cerastium brachypetalum</i> Pers.	.	.	19	.
<i>Hyparrhenia sinaica</i> (Delile) G. López*	4	.	6	.
<i>Papaver somniferum</i> L.	.	.	6	.
<i>Spergula arvensis</i> L.	.	.	6	.
<i>Polypogon monspeliensis</i> (L.) Desf.	.	.	6	.
<i>Linaria incaranta</i> (Vent.) Sprengel	.	.	6	.
<i>Myrtus communis</i> L.	4	.	6	.
<i>Myriolimon ferulaceum</i> (L.) Lledó, Erben & Crespo	11	.	.	.
<i>Verbascum sinuatum</i> L.	.	13	.	.
<i>Rumex induratus</i> Boiss. & Reuter	4	13	.	.
<i>Foeniculum vulgare</i> Miller	.	13	.	.
<i>Plantago lanceolata</i> L.	.	13	.	.
<i>Herniaria hirsuta</i> L.	.	13	.	.
<i>Quercus coccifera</i> L.	11	6	.	.
<i>Anisantha sterilis</i> (L.) Nevski	4	13	.	.
<i>Vulpia sicula</i> (C. Presl) Link*	14	13	.	.
<i>Pistacia lentiscus</i> L	29	13	.	.
<i>Aristida adscensionis</i> L.	.	6	.	.
<i>Filago micropodioides</i> Lange	.	6	.	.
<i>Reseda alba</i> L.	.	13	.	.
<i>Cistus salviifolius</i> L.	7	.	.	.
<i>Lavandula stoechas</i> L.	7	.	.	.
<i>Trifolium campestre</i> Schreber	7	.	.	.
<i>Rubia peregrina</i> L.	7	.	.	.
<i>Cynara cardunculus</i> L.	11	.	.	.
<i>Silene diversifolia</i> Otth	4	.	.	.
<i>Lonicera implexa</i> Aiton	4	.	.	.
<i>Marrubium vulgare</i> L.	7	.	.	.
<i>Oxalis pes-caprae</i> L.	4	.	.	.
<i>Astragalus boeticus</i> L.	7	.	.	.
<i>Datura stramonium</i> L.	4	.	.	.